



# Feature Description Document

## Upgrading Firmware Package



## Purpose

This document outlines the process of upgrading the Invixium device firmware using IXM WEB or via a USB drive.

## Applies to

TITAN	TFACE	TOUCH 2	SENSE 2	MERGE 2	MYCRO
All Devices	All Devices	All Devices	All Devices	All Devices	All Devices

## Description

Upgrading device firmware is a critical process for embedded products as it increases security, improves performance and fixes pending issues. There are two ways to upgrade the firmware on Invixium Devices.

1. From IXM WEB
2. From the device using a USB

To ensure smooth operation and to notify the user regarding the availability of new firmware, IXM WEB 2.2 onwards an Auto-Firmware Upgrade feature has been introduced.

This feature allows users to upgrade device firmware automatically based on schedule or immediately in real-time. This can be done as described below:

- Manual Upgrade
- Auto-Schedule upgrade once the firmware file is available on the device. It can be scheduled later or can be upgraded immediately.
- Upload firmware for intermediate firmware upgrade if required

**Note:** Always upgrade the IXM WEB version to the latest version before upgrading the firmware of the devices to ensure smooth operation.



## Auto Download & Upload Firmware Package

1. IXM WEB 2.2 onwards the Auto-Download field remains activated for all the devices for all communication modes (Ethernet, Secured Ethernet, Wi-Fi, Secured Wi-Fi and Serial).
2. For cellular supported devices, if IXM WEB detects that the device is on cellular communication mode then the “Auto-Download” field will remain inactive.

The screenshot shows the 'Firmware Upgrade' interface. At the top, there is a search bar and three buttons: 'Manual Upgrade', 'Upload Firmware', and 'Schedule Upgrade'. Below this is a table with the following columns: Device Name, Serial Nu..., Current V..., Status, Upgrade Schedule, Auto Downl..., Retry, and Delete. The table contains five rows of device information. The 'Auto Downl...' column for all devices shows a blue toggle switch in the 'on' position, which is highlighted by a red rectangular box. The bottom of the interface shows pagination controls: '1 Page 1 of 1', a dropdown menu set to '10', and 'Item(s)'. The status '1 - 5 of 5' is also visible.

<input type="checkbox"/>	Device Name	Serial Nu...	Current V...	Status	Upgrade Schedule	Auto Downl...	Retry	Delete
<input type="checkbox"/>	TS - Touch 2 FP2	6b7d527d1	01.009.008.000	New Firmware Available		<input checked="" type="checkbox"/>		
<input type="checkbox"/>	TS-Titan-WEBCloud	b3d587d025	02.004.006.000	New Firmware Available		<input checked="" type="checkbox"/>		
<input type="checkbox"/>	MERGE FP22	8cb1081683	01.009.008.000	New Firmware Available		<input checked="" type="checkbox"/>		
<input type="checkbox"/>	TS - SENSE2 - FP3	A736299019	01.009.003.000	New Firmware Available		<input checked="" type="checkbox"/>		
<input type="checkbox"/>	IXM TOUCH 4	c90b18eceb	01.009.008.000	New Firmware Available		<input checked="" type="checkbox"/>		




3. Any latest firmware is uploaded on “C:\Program Files (x86)\Invixium\IXM WEB\FirmwareUpgradeFiles” (Note: This path can be different based on where IXM WEB is installed) IXM WEB will detect the new available firmware package from the path were IXM WEB package is installed. Based on this the “Status” field will display an appropriate message.

<input type="checkbox"/>	Device Name	Serial Nu...	Current V...	Status	Upgrade Schedule	Auto Downl...	Retry	Delete
<input type="checkbox"/>	TS - Touch 2 FP2	6b7d527d1	01.009.008.000	New Firmware Available		<input checked="" type="checkbox"/>		
<input type="checkbox"/>	TS-Titan-WEBCloud	b3d587d025	02.004.006.000	New Firmware Available		<input checked="" type="checkbox"/>		
<input type="checkbox"/>	MERGE FP22	8cb1081683	01.009.008.000	New Firmware Available		<input checked="" type="checkbox"/>		
<input type="checkbox"/>	TS - SENSE2 - FP3	A736299019	01.009.003.000	New Firmware Available		<input checked="" type="checkbox"/>		
<input type="checkbox"/>	IXM TOUCH 4	c90b18eceb	01.009.008.000	New Firmware Available		<input checked="" type="checkbox"/>		


4. The device grid will display one of the following applicable status messages:

- New Firmware Available
- Upload Started
- Upgrade Started
- Upload in Progress
- Upgrade in Progress
- Upgrade Complete
- Upload Failed
- Upgrade Failed


- To upload a firmware package click **Upload Firmware**, it will open a dialog box to select the firmware package file.



- Once the firmware package file is uploaded to the machine, it will display a **"Firmware Uploaded"** message.




7. If the wrong version is uploaded by a user then an error message will be displayed.




## Schedule Firmware Upgrade


1. Users can schedule the firmware package from IXM WEB version 2.2.x.x onwards. Select any device(s) and then click **Schedule Upgrade**. It will open a popup window with scheduling options.



2. In the popup window, two options will be available. **“Upgrade Now”** and **“Schedule Firmware Upgrade at”**.




- By default, the “**Upgrade Now**” option will be selected, if the user wants to immediately start the upgrade process then click **Save**. It will open a popup window and display a message to the user “**Firmware Upgrade request added to queue**”.



- Upon closing the popup window firmware upgrade process will start on the selected device(s).




- Once the firmware upgrade process completes user will be able to see a new version number reflected in the table under the **“Current Version”** column.



Device Name	Serial Nu.	Current V.	Status	Upgrade Schedule	Auto DownL.	Retry	Delete
MERGE FP22	8cb1081683	01.009.008.000	New Firmware Available		<input type="checkbox"/>		
TS - Touch 2 FP2	8b7d527fd1	01.009.009.000			<input type="checkbox"/>		
IXM TOUCH 4	c90b18ec0b	01.009.008.000	New Firmware Available		<input type="checkbox"/>		
TS-Titan-WEBCloud	b3d587d025	02.004.006.000	New Firmware Available		<input type="checkbox"/>		

- To upgrade the firmware package later, the user can select the **“Schedule Firmware Upgrade at”** option.




**Schedule Upgrade**

Upgrade Now
  Schedule Firmware Upgrade at


mm/dd/yyyy HH:mm

NOTE: Firmware upgrade process may take time.  
DO NOT power off or interrupt the device during upgrade process or device may go into inoperable state.

7. Select the date & time when you want to schedule the firmware upgrade.



8. Click **Save** to set the scheduled date & time for the firmware upgrade process to be executed in the selected device(s). This scheduled date & time will display in the device grid under the “**Upgrade Schedule**” column.





- On the scheduled date & time, once the firmware upgrade process completes, the new version number will be displayed in the device grid under the “**Current Version**” column.

<input type="checkbox"/>	Device Name	Serial Nu.	Current V.	Status	Upgrade Schedule	Auto Downl.	Retry	Delete
<input type="checkbox"/>	MERGE FP22	8cb1081683	01.009.008.000	Upgrade Started	03/20/2020 19:30	<input checked="" type="checkbox"/>		
<input type="checkbox"/>	TS - Touch 2 FP2	6b7d5271d1	01.009.009.000			<input checked="" type="checkbox"/>		
<input type="checkbox"/>	IXM TOUCH 4	c90b18eceb	01.009.008.000	Upgrade Started	03/20/2020 19:30	<input checked="" type="checkbox"/>		
<input type="checkbox"/>	TS-Titan-WEBCloud	b3d587d025	02.004.006.000	Upgrade In Progress	03/20/2020 19:30	<input checked="" type="checkbox"/>		

<input type="checkbox"/>	Device Name	Serial Nu.	Current V.	Status	Upgrade Schedule	Auto Downl.	Retry	Delete
<input type="checkbox"/>	MERGE FP22	8cb1081683	01.009.009.000	Upgrade Complete	03/20/2020 19:30	<input checked="" type="checkbox"/>		
<input type="checkbox"/>	TS - Touch 2 FP2	6b7d5271d1	01.009.009.000			<input checked="" type="checkbox"/>		
<input type="checkbox"/>	IXM TOUCH 4	c90b18eceb	01.009.009.000	Upgrade Complete	03/20/2020 19:30	<input checked="" type="checkbox"/>		
<input type="checkbox"/>	TS-Titan-WEBCloud	b3d587d025	02.004.009.000			<input checked="" type="checkbox"/>		

Note: If on any device, the firmware upgrade process fails then the user can click the **Retry** icon to reinitiate the firmware upgrade process.



## Manually Upgrade Firmware Package using IXM WEB

1. From **Home** >> Click the **Devices** tab on the top >> Select the **Firmware Upgrade** app to display the default settings.

The screenshot shows the 'Firmware Upgrade' application window. At the top, there is a search bar and three buttons: 'Manual Upgrade', 'Upload Firmware', and 'Schedule Upgrade'. Below is a table with the following data:

<input type="checkbox"/>	Device Name	Serial Nu...	Current V...	Status	Upgrade Schedule	Auto DownL...	Retry	Delete
<input type="checkbox"/>	TS - Touch 2 FP2	6b7d527d1	01.009.008.000	New Firmware Available		<input type="checkbox"/>		
<input type="checkbox"/>	TS-Titan-WEBCloud	b3d587d025	02.004.006.000	Upload Failed		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	TS- MERGE FP2 - 178	8cb1081683	01.009.008.000	New Firmware Available		<input checked="" type="checkbox"/>		
<input type="checkbox"/>	TS - SENSE2 - FP3	A736299019	01.009.003.000			<input checked="" type="checkbox"/>		
<input type="checkbox"/>	IXM TOUCH 4	c90b18eceb	01.009.008.000	New Firmware Available		<input checked="" type="checkbox"/>		

At the bottom, there is a pagination control showing 'Page 1 of 1' and '10 Item(s)', and a refresh icon for '1 - 5 of 5'.


2. Click **Manual Upgrade** to proceed with upgrading the firmware package on the device(s).

The screenshot shows the 'Firmware Upgrade' application window with the 'Device(s)' tab selected. The device details are as follows:


Device Type	Name	Serial Number
MERGE FP22	MERGE - FP22	8cb1081683
Firmware Version	Baud Rate	IP Address
01.009.008.000	115200	192.168.1.178

A blue button labeled 'Select firmware' is located at the bottom of the device details section.


3. Click **Select Firmware** to select a firmware package file. The Firmware Upgrade confirmation message will pop up.




4. Click **Continue** to display the device selection view. Select devices on which you want to upgrade the firmware package and then click **OK**.



5. The firmware upgrade process will begin. The “Status” column will display a progress icon and the “Message” column will display “In Progress...”.



6. Once the firmware upgrade process is complete, the Status column will show the “Status” as Online/Offline and the message column will display “Firmware upgraded” if successful. Otherwise, it will display an error message.



7. If the process is not successful, please ensure that the device is online and try again.

## Upgrading Firmware using USB Drive


Rename the firmware file to ixm\_fwu.bin and copy that file on a USB stick. Store the file in the parent USB folder, do not place this file inside another folder.

### 1. MYCRO, SENSE & MERGE CR Models

Whenever a USB drive is plugged into the device, the firmware package gets automatically detected which starts the upgrade process.


### 2. TITAN, TOUCH 2, TFACE & MERGE Series

- Whenever a USB drive is plugged into the device, a “USB Drive Detected” message appears on the LCD.




**Note** – TOUCH 2 screenshots have been provided for illustrative purposes. For TITAN, TFACE & MERGE, please follow the same procedure as TOUCH 2 on the LCD.


- Tap on the **USB Drive detected** message and enter valid credentials to open “USB Options”. Tap on **Firmware Upgrade** to upgrade the firmware version on the device.



- Before the upgrade process starts, a confirmation message will be displayed.




- Tapping on **Upgrade** will display a progress bar on the screen with an “Upgrading firmware” message.





- At the end of the process, the device will restart to apply the changes in the firmware package. A “Restarting” message will be displayed on the LCD.



- If the device is not in a responsive state, then please ensure that the device is online and try again.



## Support

For more information relating to this Feature Description document, please contact us at [support@invixium.com](mailto:support@invixium.com)

## Disclaimers and Restrictions

This document and the information described throughout are provided in its present condition and are delivered without written, expressed, or implied commitments by Invixium Inc. and are subject to change without notice. The information and technical data herein are strictly prohibited for the intention of reverse engineering and shall not be disclosed to parties for procurement or manufacturing.

This document may contain unintentional typos or inaccuracies.

### TRADEMARKS

The trademarks specified throughout the document are registered trademarks of Invixium Access Inc. All third-party trademarks referenced herein are recognized to be trademarks of their respective holders or manufacturers.

Copyright © 2022, INVIXIUM. All rights reserved.